

5 Seconds Rapid Bactericidal



Revolutionary OZONE Spray Bottle Pro

Adding only water and with the press of one button Ideal alternative to other chemical sanitizers











Chemical-Free

The 2nd generation handheld rechargeable Professional OZONE Spray Bottle (OSB Pro) applies revolutionary electrolysis technology that can convert your regular tap water into an anti-bacterial sanitizing water. This revolutionary technology can help replace conventional **chemical surface sanitizers.** Simply fill the bottle with clean tap water, press the button, and the device will instantly convert ordinary water into OZONE water.

Small Size, High Performance

OZONE water is well-known for its fast and powerful sanitation performance. This OZONE sprayer offers an effective, safe, and environmentally friendly surface sanitation for many commercial hygiene applications.







SGS





Only needs water and electricity. No additional costs



It does not change the water pH



USB-C charging Plug and play



Two-stage mode to meet various applications



Strong and sturdy metal body



Wayne Simmons, DMD

"My recent personal and professional practice experience utilizing aqueous OZONE from BES Group has been extraordinarily positive and beneficial to our patients, our staff, and to myself. It is a remarkable technology that will be welcomed into dental practices, medical offices, hospitals, nursing facilities, food and beverage, recreational facilities, worldwide."

United States - Prosthodontist, ACP, Diplomate ABOI

With only a single press of one button

99.99%

Third-party measured sanitize rate

5 seconds

Achieve 99.99% sanitize rate

ZERO **Chemical residues** 3000 times

Sanitizes faster than chlorine

25 minutes

Maintains the concentration of OZONE water time

12000 times

Service life



Focus Points



Rapidly Inactivated

SARS-CoV-2



Hand sanitation



Surface sanitation



For Catering

- Hotels
- Restaurants Bars



For Health Care

- Coffee and tea : Hospitals
- Kindergartens Nursing Homes



For Public Places

- Gyms Schools
- Offices Cleaning Company



Added the approval to use OZONE water as a food surface bactericide in its food specification.




Specifications

Model No.	EOS7161-P
O ₃ Concentration*	3.0 ppm (Mode1: 5 min. & Mode2: 25 min.)
Reservoir Size/Coverage	150 ml (0.04 gal); covers 30 m ²
Charging Time	60 minutes (Can generate up to 1800 ml or 12 bottles per charge)
Water Quality	Clean tap water**
Water Temperature	5- 35°C (41- 95°F)
Ambient Temperature	5-40°C (41-104°F)
Rechargable Battery	Li-polymer Battery, 3.7V/1200mAh
Charger Input	Input : 100-240V AC, 50/60Hz Output : 5V/1A DC
Dimensions	Ф53 x 254.8mm (Ф2.1 x 10.0 in)
Weight	308g (0.68 lbs) ± 1%
Life Span	> 2 year (8 bottles uses/day)

^{*} Tested with soft clean water (TDS≈100 ppm, temperature≈25°C) OZONE concentration varies depending on conditions such as water quality or temperature.

About Us

Since 1988, BES Group has been the global leader of electrolytic technology that converts water to ultra-pure OZONE and HYDROGEN. Products applications include Food Safety, Ice & Beverage, Dentistry, Healthcare, Professional Laundry, Professional Cleaning, Maritime, and Home Sanitation & Wellness. All products and components are tested for high performance, safety, efficacy and reliability with certifications from government agencies and leading 3rd party labs.







Technologies applied are protected by one or more of the following patents. US 8,308,914 B2, US 9,757,697 B2, US 9,248,208 B2

BES GROUP (AUST) PTY LTD.

Ground Floor, 737 Burwood Rd.

Asia/Headquarters

Biotek Environmental Science Ltd.

5F. 98 Xinade Rd. Sanchung Dist.

Factory ISO 9001 Certified

Yantai United Ozonetec Corporation.

Hawthorn, VIC 3122 Australia

www.besgroups.com.au

New Taipei, 24158 Taiwan

4F, 1 Wuzhishan Rd, ETDZ Yantai, Shandong 264006 China

www.besgroup.com.cn

www.besgroups.com

Oceania

North America BIOSURE North America, LLC.

2020 Babcock Rd., Ste. 25

San Antonio, Texas 78229 USA www.biosureozone.com

Shanghai Zhongte Environmental Technology Co., LTD

Unit 205, 998 Shenbin South Road, Minhang District, Shanghai, 201106 China www.biosurepro.com

Malaysia

BIOSURE PROFESSIONAL SDN. BHD.

E2-02-01, Block E2, Sunway Geo Avenue, Jalan Lagoon Selatan, Sunway South Quay, 47500 Subang Jaya, Selangor D.E., Malaysia. www.biosureozone.asia

Thailand

2. 4 Soi Ngamwongwan 25 Intersection 28, Bangkok

BES GROUP THAILAND

https://besgroupthailand.com





^{**}Potable water (TDS 60 - 200 ppm, Hardness < 180 ppm as CaCO₃). If hard water is used (hardness > 120 ppm CaCO₃; TDS > 250 ppm), regular cleaning with citric acid solution is recommended for maintaining performance.